

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- ✓• TEXT CUT OFF AT TOP, BOTTOM OR SIDES
FIGS. 1, 2, 3, 4, 5, 6, 7, 9, 10, 11, 13
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1




FIG. 2




FIG. 3







FIG. 4






Datastructure without using a Direct Table




Datastructure with using a Direct Table

FIG. 6



Datastructure with Direct Leaves



Datastructure without Direct Leaves

FIG. 7

Format	Conditions	Valid in DTEntry ?	Valid in PSCB?	Format (2bits)	NPA/LCBA (26 bits)	NBT (8 bits)
Empty DTEntry	No leaves	Yes	No	00	0	0
Pointer to next PSCB	DtEntry contains pointer	Yes	Yes	00	NPA	NBT
Pointer to leaf	Single leaf associated with DTEntry; LCBA field contains pointer	Yes	Yes	01	LCBA	0

Fig. 8




Fig. 9




FIG. 10

LUDefTable Tree Definition

Field	Size	Bits
CacheEntry	1	0
Tree_Type	2	2..1
hash-type	4	6..3
color_en	1	7
PIP2_max_size	5	12 .. 8
NPARope_en	1	13
NPASMT_en	1	14
CompIndex_en	1	15
PSCB_fq_index	6	21 .. 16
PSCB_Height	1	22
Mask_Vector_En	1	23
CompIndex	8	31..24
DT_base_addr	26	57 .. 32
DT_size	4	61 .. 58
DT_interleaf	2	63 .. 62
Leaf_fq_index	6	69 .. 64
Leaf_Width	2	71 .. 70
Leaf_Height	3	74 .. 72
DirectLeafEn	1	75

FIG. 11

Field	Size	Address in TSM where PSCB is located
NPA0	26	Next PSCB address: pointer to next PSCB in the tree for 0-part of PSCB
NBT0	8	Next bit to test for 0-part of PSCB
LCBA0	26	Leaf control block address: pointer to leaf for 0-part of PSCB
NPA1	26	Next PSCB address: pointer to next PSCB in the tree for 1-part of PSCB
NBT1	8	Next bit to test for 1-part of PSCB
LCBA1	26	Leaf control block address: pointer to leaf for 1-part of PSCB
Index	8	Index of this PSCB (physically stored in the previous PSCB)
PatBit	1	The value of HashedKey[Index], based on the value of the Index field in the PSCB register

FIG. 12

Field Name	Length	Description
NLARope	4 bytes	Leaf chaining pointer, aging information and direct leaf information
Prefix_Len	1 byte	This field is not used by the TSE for FM trees and can be used by picocode
pattern	2 - 18 bytes	Pattern to be compared with the HashedKey
UserData	variable	The contents of this field is under complete picocode control; the UserData field can include one or more counters

FIG. 13




FIG. 14